



AIRCRAFT DYNAMICS

Robotools™, Roboreels™, Robopaks™ & Robolights™



AIRCRAFTDYNAMICS.COM

Have New Product Ideas? Need Design & Prototyping Help? Let Us Help You!



Design and Product Optimization

Our team will help bring your idea to life using advanced CAD software. With decades of collective engineering design experience, we can help guide your project down the path to success!



Rapid Prototyping

We have an array of in-house 3D printers that hold tight tolerances for producing functional prototypes at any stage of the design process. Often times, models can be printed over night for cost effective fitment testing, functionality and aesthetics.



Small Batch Production

Additive Manufacturing technology is perfect for small batch production. We utilize 3D printing everyday in our Ohio based manufacturing facility to save time and money. This allows our skilled workforce to focus their efforts on larger fabrication projects.

In-House 3D printing and Skilled CNC Machining Call or Email Us Today!

419-331-0371

Sales@aircrafterdynamics.com

Aircraft Dynamics

Established in 1962

**Solving Problems for Those who Help
Others... Is our Business.**

Table of Contents

Pole Transportation & Safety 2 - 7

- Pole Bug, 360 LED's, Flag Holders & Flags
- Light Bars

Wire Containment & Accessories 8 - 12

- Guy Wire & Triplex RoboReels™
- HDPE Gas Pipe RoboReels

Bits, Sockets & Adaptors13 - 17

- Drill Bits - Black Widow, PoleKat, Barracuda
- Utility Deep Well, Penta, Hex Sockets
- Key & Keyless Chuck, Blue Bully®
- Penta T-Wrench, Tri-Ball Q-Change
- Dirt Bags, Auger Socks, Grip Stik

Batteries, Impacts, & Work Lights18-21

- RoboImpact®, RoboPak®
- Utility LED Helmet Lights, Work Lighting
- Handheld, Traffic Safety
- Flare Lights, Cone Lights

Sales@aircrafterdynamics.com

Mailing: P.O. Box 3038 Elida, Ohio 45807

Shipping: 418 East Kiracofe Ave. Elida, Ohio 45807

Tel: 419-331-0371

Fax: 419-331-7349

AIRCRAFTDYNAMICS.COM



Pole Transportation Safety

LED 360° Strobes

360° LED strobes utilize 12 long lasting LEDs to create a highly visible 60 flashes per minute strobe. System is easy to attach and deploy, using a heavy duty strap that attaches to all types of poles and sizes. Strobe is protected by a rugged cage and includes powder coated metal components. Standard kit is powered by 2 D-cell alkaline batteries for up to 600hrs of battery life.



*Recharge Li-ion Battery
from any USB port*



Dimensions: Flags 18" x 18" (Square)
Wood Staff & PVC end: 24" Long

Re-chargeable 360 Kit

Cat. No. 7167-R-USB (Red)

Cat. No. 7167-A-USB (Amber)

includes 2 Red flags & USB Charger Plug



Standard 360 Kit

Cat. No. 7167-R (Red)

Cat. No. 7167-A (Amber)

includes 2 Red flags



3 Flag 360 Kit

Cat. No. 7360-R (Red)

Cat. No. 7360-A (Amber)

includes 3 Red flags



Pole Transportation Safety



360 Bolt-thru Kit

Cat. No. 7219-R (Red)

Cat. No. 7219-A (Amber)

includes 2 Red flags

Dimensions: Flags 18" x 18" (Square)
Wood Staff & PVC end: 24" Long



360 Bolt-thru

Cat. No. 7177-R (Red)

Cat. No. 7177-A (Amber)





Pole Transportation Safety

#1 Pole Transportation Safety System. Small and easy to store, yet extremely rugged with LED technology rated for 100,000 hours of heavy duty operation. Long range visibility of 5+ miles with four alternative flash patterns: Comet, Single, Steady Burn and Flare Flicker. Light modules are encapsulated for vibration and moisture resistance with front angled reflectors (front and side viewing). Easy to attach using a heavy duty strap that attaches to all poles. Additional features include powder coated metal components and powered by 3 alkaline C-cell batteries.



Pole Bug Kit

Cat. No. 7015-R (Red)
Cat. No. 7015-A (Amber)
includes 2 Red flags



Dimensions: Flags 18" x 18" (Square)
Wood Staff & PVC end: 24" Long



Dual Pole Bug Kit

Cat. No. 7026-R (Red)
Cat. No. 7026-A (Amber)
includes 2 Red flags



Pole Transportation Safety



3 Flag Pole Bug Kit

Cat. No. 7315-R (Red)

Cat. No. 7315-A (Amber)

includes 3 Red flags



Pole Tacker Kit

Cat. No. 7032-R (Red)

Cat. No. 7032-A (Amber)

Includes LED & T-screw



3 - Flag Holder

Cat. No. 2617

* Flags sold separately



Dual Flag Holder

Cat. No. 2642

* Flags sold separately



Pole Transportation Safety

LED Wired Light Bar

- 36" light weight aluminum frame, powder coated safety orange
- 2" wide heavy duty binding ratchet strap
- LED STOP/ TURN/ TAIL lights DOT approved
- LED side marker lights DOT approved
- 11/16" hole in mounting cradle for 5/8" bolt for extra security
- Includes 40' of DuraFlex 4/14 cordage
- Includes (2) 18" square mesh safety flags
- Trailer wiring Options:
 - 4 way round / 6 way round / 7 way RV plug
- Optional 12 LED - 360 degree flashing or Solid pattern, battery powered strobe - Amber or Red available



Light Bar w/ strobe light, 2 flags & 40' cord

Trailer Plug

Cat No.


4 Way round / Amber Strobe	7700-4R-A360
4 Way round / Red Strobe	7700-4R-R360
6 Way round / Amber Strobe	7700-6R-A360
6 way round / Red Strobe	7700-6R-R360
RV plug / Amber Strobe	7700-RV-A360
RV plug / Red Strobe	7700-RV-R360



Light Bar w/ 2 flags & 40' cord

Trailer Plug Cat No.

4 way round	7700-4R
6 way round	7700-6R
RV plug	7700-RV



Light Bar w/ 2 flags & 40' cord

Trailer Plug Cat No.

4 way round	7701-4R
6 way round	7701-6R
RV plug	7701-RV



Pole Transportation Safety



Replacement Red LED
Cat No. - 7028



Replacement 360 LED Red
Cat No. - 7169



Replacement LED Amber
Cat No. - 7030



Replacement 360 LED Amber
Cat No. - 7164

Replacement Flags

Specifically designed for high speed transport or stationary use, each flag is constructed of light weight heavy-duty mesh which is extremely durable and will provide you with extended use.

Dimensions: Flags 18" x 18" (Square)
Wood Staff & PVC end: 24" Long



Red Flag
Cat. No. 7074



Orange Flag
Cat. No. 7474



Red - Cat. No. 7144
Orange - Cat. No. 7247
Heavy Duty 1" Nylon Dowel





ROBOREELS™

Wire containment & payout reel

Triplex and Guy Wire RoboReels are designed for linemen to provide an easy and safe means to unwind and rewind cumbersome wire and cable. Extremely rugged, all-weather heavy duty reels. Made of steel and Industrial coated to ensure long life, RoboReels have adjustable arms that allow an easy and secure means of loading, unwinding and rewinding various coils with different diameters. Coils can be simply rolled into the stand, and with the adjustable arms, securely clamped into place in seconds. Wire or cable is then easily pulled or rewound through smooth center guides.



Triplex RoboReel™ Cat. No. 5478

- 8 adjustable arms
- Holds coils up to 10-1/4" wide
- Accepts coils
 - outside dia. 26" - 32"
 - inside dia. 14" - 20"
- Dimensions: 34-1/2" H x 14" D x 33-1/2" W
- Weight: 58 lbs.



RoboReel Crank Assit Cat. No. 5420



only compatible with 5478 Triplex reel



RoboReel™ Quick Change Base Plate Cat. No. 5074



Great space organizer.
Ideal accessory for those who want a quick means to remove or remount your RoboReel.™

** not compatible with horizontal reels.**



ROBOREELS™



The 5800 RoboReel is an enlarged and strengthened version of our 5478 RoboReel designed to handle 500' coils of 1/0 triplex wire. It incorporates a larger 1" diameter center bolt and field adjustable braking system to minimize any whiplash. The RoboReel uses an oil-embedded bronze bushing to reduce the need for field lubrication. The 5800 has a larger wire guide and adjustable arms to handle the large 1/0 triplex wire coils. Made of steel and Industrial coated to ensure long life, RoboReels have adjustable arms that allow an easy and secure means of loading, unwinding and rewinding various coils with different diameters.



Triplex RoboReel™ for large diameter coils Cat. No. 5800



- 8 adjustable arms
- Holds coils up to 10-1/4" wide
- Accepts coils
 - outside dia. 32" - 43"
 - inside dia. 16" - 25"
- Dimensions: 45" H x 14" D x 44" W
- Weight: 68 lbs.





ROBOREELS™

Guy Wire RoboReel™ Cat. No. 5276

- 4 adjustable arms
- Holds guy wire with 1/2" diameters
- Accepts coil - outside dia. 22" - 31"
- Holds coils up to 4.75" wide
- Dimensions: 33 3/4" H x 9 1/4" D x 32 1/4"W
- Weight: 41 lbs.
- Wire can be pulled from either direction



Guy Wire RoboReel™ for large diameter coils Cat. No. 5415

- 4 adjustable arms
- Holds guy wire with 1/2" diameters
- Accepts coil - outside dia. 32" - 36"
- Holds coils up to 8 3/4" Wide
- Weight: 54 lbs.



ROBOREELS™



HDPE Gas Pipe RoboReel™

- Designed for 1" HDPE Gas Distribution Pipe
- Pipe pulls from Inside through roller guide system
- 4 Adjustable arms
- Dimensions: 52" H x 22" D x 48" W
- Weight: 65 lbs.
- Accepts gas pipe coils with following dimensions

Inside Dia: 24" - 32"

Outside Dia: 42" - 50"

Width: 13.5"



Cat No. 5740
for 1" HDPE Gas Distribution Pipe

- Designed for 1/2" HDPE Gas Distribution Pipe
- Adjustable brake and clamping system
- 8 Adjustable arms
- Dimensions: 52" H x 14" D x 48" W
- Weight: 65 lbs.
- Accepts gas pipe coils with the following dimensions


Inside Dia: 24" - 32"

Outside Dia: 42" - 50"

Width: 6" - 10"



Cat No. 5730
for 1/2" HDPE Gas Distribution Pipe



ROBOREELS™



RoboReel™ Maxx Cat. No. 5004

- Easy to load - Works with Triplex or ACSR type wire
- Adjust arms out to tighten against inside of the coil
- Brake locks arms in place
- Removable outside hooks adjust for different coil widths
- For use with coils up to 34" wide

Inside diameter 13" to 20" and widths up to 13"

- Adjustment crank included
- Mounting base 30" x 23 3/4"
- Weight: 110 lbs



Horizontal Mount Triplex RoboReel™ Cat. No. 5456

- 4 adjustable arms
- Holds coils up to 8 3/4" Wide
- Accepts coil
 - outside dia. 27" - 32"
 - inside dia. 16" - 21"
- Dimensions: 14" H x 34" D x 34" W
- Weight: 37 lbs

Wood Bits



Barracuda Ultra Smooth Augers have three cutting Spurs for fast, smooth cutting without resistance. Teflon coated to resist heat and friction. Designed to cut smooth hole without "Blowout" in framing lumber.



BARRACUDA



WOOD BITS



BARRACUDA™ 18" Length 7/16" Shank

SIZE CAT NO.

3/8" 2918-6

7/16" 2918-7

1/2" 2918-8

9/16" 2918-9

5/8" 2918-10

11/16" 2918-11

3/4" 2918-12

13/16" 2918-13

7/8" 2918-14

15/16" 2918-15

1" 2918-16

1 1/8" 2918-18

1 1/4" 2918-20

1 3/8" 2918-22

1 1/2" 2918-24

PoleKat Double Cut Augers use a double-cut tip for a more robust design that tracks true with minimal wobble and blowout.



POLEKAT™



18" Length 7/16" Shank

SIZE CAT NO.

3/8" 2818-6

7/16" 2818-7

1/2" 2818-8

9/16" 2818-9

5/8" 2818-10

11/16" 2818-11

3/4" 2818-12

13/16" 2818-13

7/8" 2818-14

15/16" 2818-15

1" 2818-16

1 1/16" 2818-17

1 1/8" 2818-18

1 1/4" 2818-20

1 3/8" 2818-22

1 1/2" 2818-24

POLEKAT™

24" Length 7/16" Shank

SIZE CAT NO.

11/16" 2824-11

3/4" 2824-12

13/16" 2824-13

7/8" 2824-14

15/16" 2824-15

1" 2824-16

1 - 1/16" 2824-17

1 - 1/8" 2824-18

1 - 1/4" 2824-20

1 - 3/8" 2824-22

1 - 1/2" 2824-24

Note: All 1" and larger diameter bits are not designed for use with Impact tools.





Wood & Fiberglass Bits

WOOD BITS



Robotool™ Black Widow Bits are rugged, heat treated and with proprietary flute design, Self-feeding screw and cutting spur, will cut through the hardest poles with ease and will decrease average drilling times by 50%.



BLACK WIDOW™

18" Length 7/16" Shank		24" Length 7/16" Shank	
SIZE	CAT NO.	SIZE	CAT NO.
7/16"	2505		
1/2"	2511		
9/16"	2525		
11/16"	2523	11/16"	2527
13/16"	2524	13/16"	2528
7/8"	2577	7/8"	2543
15/16"	2526	15/16"	2529
1"	2516	1"	2532
1 - 1/16"	2542	1 - 1/16"	2531
1 - 1/8"	2533	1 - 1/8"	2534
1 - 1/4"	2588	1 - 1/4"	2536
		1 - 3/8"	2537
1 - 1/2"	2561	1 - 1/2"	2578

Note: All 1" and larger diameter bits are not designed for use with Impact tools.

Black Widow Hollow Core Fiberglass Bits

Designed specifically for drilling **hollow core** utility poles made from *Fiberglass, Resin or composite materials*

12" Length 7/16" Shank		18" Length 7/16" Shank		24" Length 7/16" Shank	
11/16"	2890	9/16"	2878	9/16"	2876
13/16"	2882	11/16"	2888	11/16"	2886
15/16"	2866	13/16"	2884	13/16"	2880
1 1/8"	2897	15/16"	2896	15/16"	2872
		1"	2892	1"	2868
		1 1/8"	2894		

Black Widow Solid Foam / Core Fiberglass Bits

Designed specifically for drilling **solid foam core** utility poles made from *Fiberglass, Resin or composite materials*

12" Length 7/16" Shank		18" Length 7/16" Shank	
1/2"	2688	9/16"	2676
9/16"	2678	11/16"	2684
11/16"	2686	13/16"	2680
13/16"	2682	15/16"	2653
		1 - 1/16"	2689



Drill Bit Holder

Cat. No. 9296

· Holds four pole bits up to 1" diameters and any length. Will mount in vehicles or on any vertical surface.
Weather proof — will not rust

ROBOTTOOLS™

Tired of breaking adapters?



Blue Bully® adapter 7/16" to 1/2" sq.
Cat. No. 2801

- 2 3/4" Length
- Designed For High Torque Impact Wrenches.
- Advanced Impact Resistant Technology
- Aerospace Quality/Engineered Shock Steel
- Increased Torque Yield Points
- Advanced Toughness & Wear Resistance
- Reduced Deformation
- Maximum Mechanical Properties
- Most superior adapter for Safety, Durability, and Performance



Little Bully® adapter 1/4" to 1/2" sq.
Cat. No. 2802



1/2" Keyless Chuck Kit
Cat. No. 2530

Keyless 3 jaw chuck adapter for use with impacts to drill holes in steel, wood or fiberglass

*Not for use with bits that cause continuous impacting



1/2" Keyed Chuck Kit
Cat. No. 2590

Kit includes: Chuck and attached 7/16" Blue Bully Hex Drive Adapter & Chuck Key

Keyed 3 jaw chuck adapter for use with impacts to drill holes in steel, wood or fiberglass

*Not for use with bits that cause continuous impacting



ROBOTTOOLS™

ARE YOUR SOCKETS IMPACT QUALITY SAFE?

Black Oxide Finish - Heavy-Duty Impact Quality Steel - Best Sockets Available!



Length - 3 1/2"
1/2" Sq. Dr.
Double Sq.

Size	Cat. No.
1-1/8"	2489
9/16"	2490
3/4"	2491
13/16"	2492
7/8"	2493
1"	2494



1/2" Sq. Dr.
Penta Socket

Cat. No. 2775

- Inside Length: 1/2"
- Opening: 13/16"
- Overall Length: 2"



Penta Socket with proprietary impact steel is securely attached to plastic coated comfort grip "T" handle for extra leverage. Easily remove and tighten Penta Bolts.



The only penta socket that uses impact quality steel.

Penta T-Wrench
Cat. No. 2779

- Heavy Duty 1/2" Sq. Dr. / Double Sq

- Overall Length: 7.25"
- Penta Opening: 13/16"
- Inside Length: 1/2"
- Weight: 14 oz.



1/2" Sq. Dr. Double Sq.
Deep Well — Double Duty

- 2 Sockets in 1 • Length: 5"

Cat. No. 2757 1" and 1-1/8" Openings
Cat. No. 2751 13/16" and 15/16" openings
Cat. No. 2710 1-1/8" and 1-5/16"

**ROBOT TOOL LIFETIME
★ WARRANTY
ON ALL SOCKETS!**



Socket Set

Sockets are secured in an E-coated mounting tray



Includes the Blue Bully adapters



Cat. No. 2758 includes:
9/16", 13/16", 1" and 1-1/8" Sockets

Cat. No. 2403
Tri - Ball Quick Change Chuck



Super Heavy Duty 7/16" (1/2" Sq. Dr.) Quick-Change Chuck. The most secure and durable quick change chuck available! Utilizing a proprietary three ball bearing system, this chuck will secure your bits, adapters and sockets under extreme circumstances. Designed to be used with high torque 1/2" sq. drive impact wrenches.





The DIRT BAG



Size	Cat No.
------	---------

8' x 8' v-notch	5107
-----------------	------

8' x 8' square	5619
----------------	------

10' x 10' v-notch	5774
-------------------	------

10' x 10' square	5127
------------------	------

- Creates a safer job site, eliminating injuries
- Setting poles becomes easier, cleaner and faster
- Save thousands of man hour dollars
- Save time filling holes, moving material and cleaning
- Proprietary "V- Notch" design for close "to-the-pole" use
- Stronger than any other like tarp
- 22 oz. coated polyester reinforced with 5000 lb. rated straps
- Superior strength webbing and abrasion resistance
- Size : 8' x 8' for poles to 55 ft.
- Size : 10' x 10' for poles over 55 ft.

Pressure Digger Auger Sock

Cat. No. 5714



- Designed to cover Pressure Digger Truck Augers
- Covers Augers 25" dia, 36" overall length, & 24" height
- Heavy Duty Vinyl Construction
- Reinforced Zipper for easy installation and removal
- Locking Buckle on top for added security
- Handle on bottom of sock for easy tailings removal
- Reflective striping stitched in for added visibility

Grip Stik Tap Twister

Cat. No. 5438



- Designed to be used for switching taps on Pad Mount Transformers
- Provides additional leverage with positive control
- Grip-Stik handles fold for easy storage on sticks
- For use with hot stick or switch stick with 1-1/4" diameter body
- Length with handles extended: 21"
- Weight: 2.5 lbs.



ROBOPAKS



XL 9200 Cat No. 3600

- Dimensions: 9-3/8" L x 6-1/4" W x 9" D
- Weight: 22 lbs.
- Amp Hr. @ 24v - 28v..... 12A
- Amp Hr. @ 18v.....12A
- Amp Hr. @ 12v - 14.4v...24A
- Amp Hr. @ 6v..... 48A

XL 9200
2 year Pro Rated
Warranty



4329 AC Charger



XL 9280 Cat No. 3481

- Dimensions: 9-3/8" L x 6-1/4" W x 5-5/8" D
- Weight: 18 lbs.
- Amp Hr. @ 24v - 28v.....7.2A
- Amp Hr. @ 18v.....7.2A
- Amp Hr. @ 12v - 14.4v...14.4A
- Amp Hr. @ 6v28.8A



4338 AC Charger



SS-LP Robopak® Cat. No. 3439

- 24v..... 12 Amp Hr. Capacity
- Dimensions: 10-5/8" L x 9-11/16" W x 4-7/8" D
- Weight: 22 lbs.



4366 A/C Charger

ROBOIMPACTS



Powered by Variable Voltage Robopak® or other DC power sources, Roboimpacts are so versatile they can be powered between 24v - 36v, providing up to 2500 impacts per minute and 450+ ft./lbs. of torque. Roboimpacts are used by linemen and professional workers all over the world. They are also standard issue items on many military vehicles. Unmatched in power, durability and reliability!



Pistol Grip Impact

• Cat. No. 2016 3/4" Square Drive

- Extremely powerful and fast!
- Attached 8 ft. cords plug into Robopaks for versatile power tool needs.
- Powerful 30 amp reversible motors provide 450+ ft./lbs. of torque and 2500 impacts per minute.
- Reversing switches located on high strength, impact resistant handles.
- Secondary 2-position attachable handles provide added control.



D - Handle Impact

• Cat. No. 2001 7/16" Hex Quick-Change



See pgs 18 - 20
for RoboPak® options

The D-Handle 36v Cordless Roboimpact® is the most powerful tool of its kind in the world! Powerful 30 amp reversible motor provides in excess of 2500 impacts per minute and 450 ft./lbs. of torque for the most demanding drilling and hardware applications.

- Voltage: 36v
- Ft./Lbs. of Torque: 450
- Impacts Per Minute: 2500
- Chuck: 7/16" Hex Quick-Change
- Cordless Battery: 4.0 amp/hr. Li - ion
- Charging: AC Li - ion
- Weight (Tool and Li-ion Battery): 12.5 lbs.
- Average drill time in 10" diameter pole: 9 seconds
- Average number of holes per charge in 10" diameter pole: 20+



• Cat. No. 5310 - Tool, 2 - 2756 Li-ion Batteries and 4376 A/C Charger



ROBOPAKS

BackupRobopak®

Cat. No. 3501



The Solar Battery Backup Braking System offers peace of mind with maximum safety during emergency situations. This unit contains the highest quality sealed batteries that are maintained during periods of non-use via the fully encapsulated Solar Maintenance Charger. Designed to operate independently of the vehicle's electrical system. It is durable and corrosion proof.

Simply the best battery backup system available.

- Cast ALMAG 35 Housing
- Sealed Long-Life Military Batteries
- Fully encapsulated Solar Voltaic Cells
- High Quality Momentary Switch
- Quick-Connect / Disconnect Features

ROBOLIGHTS™



The Ultimate LED Helmet Light

Cat. No. 7625

The Ultimate Headlamp offers high, low and flash output. The Ultimate uses a MaxBright LED that allows the beam to spot at distances. The Ultimate comes with a rubber hard hat strap & 3M Dual Lock to securely attach to your hard hat.

Specs:

- Power - 130 Lumens
- Batteries - 3AAA Alkaline included
- Burn Time - 21.5 hrs Headlamp only
- Weight - 3.7oz
- Waterproof - IPX7

Grab-n-Go Magnetic LED work light

This Versatile and rugged magnetic light lets you attach to any ferrous metal and position the light right where you need it.



Magnet Mount High Power LED Cat. No. 7444

3700 Lumens / 51 Watt
5" Magnet 200 lbs. of pull force
On / Off switch
12v DC power



Magnet Mount High Power LED Cat. No. 7225

4500 Lumens / 45 Watt
5" Magnet 200 lbs. of pull force
On / Off switch
12v DC power

ROBOLIGHTS™



FlareLight Kit

Cat No. 7029

Contains four Red and one Amber FlareLights with five separate metal support plates that will provide additional security and weight if needed. Batteries included.

Rechargeable Handheld Spot Light

- Handheld
- Swivel Head
- Comfort grip handle
- Sealed lead based battery
- 27 watt 2150 lumen LED



Cat No. 7181-LED



Cat No. 7792
DC Vehicle Mount Charger



Cat No. 7076
AC Charger

Cones alone are not enough! Maximize the safety of your workers and surrounding areas with the Robolight™ ConeLights. Robolight™ ConeLights are small, versatile and more effective than using cones by themselves. Providing a safer alternative, ConeLights can be easily placed over your cones. ConeLights utilize durable long lasting weather resistant LEDs. Lights are attached to rust resistant powder coated orange plates that can be used with all cone sizes. 4 AA Batteries Included.



Cone Light Kits:

Contains 4 lights in a crush proof case.

Cat. No. 7038-R (4-Red) - Kit

Cat. No. 7039-A (4-Amber) - Kit

Singles

Cat. No. 7036-R single red

Cat. No. 7037-A single amber



Aircraft Dynamics Corp.
P.O. Box 3038
Elida, OH 45807

Home of RoboTools™

AIRCRAFT DYNAMICS

Utility Division

RoboReels™
RoboPaks™
RoboLights™
RoboTools™

AIRCRAFTDYNAMICS.COM

